



Common Super Diazo (SDI) Lamp Configurations

165 mA - Non-Reflector	Wattage	Nominal Length
F8T5/SDI/BP	8	12"

420 mA - Non-Reflector	Wattage	Nominal Length
F40T12/SDI/BP	40	48"
F84T12/SDI/SL	65	84"

800 mA - Non-Reflector	Wattage	Nominal Length
F893T12/SDI/HO/BP	45	35"
F48T12/SDI/HO/BP	60	48"
F48T12/SDI/HO/RDC	60	48"
F72T12/SDI/HO	100	72"
F84T12/SDI/HO	100	84"
F2215T12/SDI/HO	105	87.2"
F96T12/SDI/HO	110	96"

1500 mA - Non-Reflector	Wattage	Nominal Length
F40T12/SDI/VHO/BP-110W	110	48"
F48T12/SDI/VHO	116	48"
F59T12/SDI/VHO/BP	140	59"
F84T12/SDI/VHO	190	84"
F89T12/SDI/VHO	200	89"
F96T12/SDI/VHO	215	96"

Bi-Pin Styles Non-Reflector	Wattage	Nominal Length
F30T8/SDI/BP	30	36"
F20T12/SDI/BP	20	24"
F20T12/SDI/BP-40W	40	24"
F30T12/SDI/BP	30	36"
F40T12/SDI/BP	40	48"
F40T12/SDI/BP-65W	65	48"
F40T12/SDI/VHO/BP-110W	110	48"

Super Diazo (SDI) Lamp Configurations

420 mA - Non-Reflector	Wattage	Nominal Length
F8T5/SDI/BP	8	12"
F965T12/SDI/BP-30W	30	38"
F40T12/SDI/BP	40	48"
F40T12/SDI/BP-65W	65	48"
F84T12/SDI/SL	65	84"
F96T12/SDI/SL	75	96"



800 mA - Non-Reflector	Wattage	Nominal Length
F48T8/SDI/HO/BP	60	48"
F24T12/SDI/HO	35	24"
F893T12/SDI/HO/BP	45	35"
F36T12/SDI/HO	50	36"
F48T12/SDI/HO/BP	60	48"
F48T12/SDI/HO/RDC	60	48"
F1198T12/SDI/HO/BP	55	48"
F54T12/SDI/HO	70	54"
F64T12/SDI/HO	76	64"
F72T12/SDI/HO	100	72"
F84T12/SDI/HO	100	84"
F2215T12/SDI/HO	105	87.2"
F89T12/SDI/HO	105	89"
F96T12/SDI/HO	110	96"

1500 mA - Non-Reflector	Wattage	Nominal Length
F589T12/SDI/VHO/BP	75	23.2
F973T12/SDI/VHO/BP	47	38"
F993T12/SDI/VHO/BP	105	39.1"
F40T12/SDI/VHO/BP-110W	110	48"
F48T12/SDI/VHO	116	48"
F54T12/SDI/VHO/BP-140W	140	54"
F59T12/SDI/VHO/BP	140	59"
F72T12/SDI/VHO	170	72"
F84T12/SDI/VHO	190	84"
F89T12/SDI/VHO	200	89"
F96T12/SDI/VHO	215	96"

800 mA - Reflector	Wattage	Nominal Length
FR84T12/SDI/HO/200/3003	100	84"

1500 mA - Reflector	Wattage	Nominal Length
FR48T12/SDI/VHO/BP/180	110	48

Super Diazo (SDI) Bi-Pin Lamp Configurations

Bi-Pin Styles Non-Reflector	Wattage	Nominal Length
F14T8/SDI/BP	14	15"
F15T8/SDI/BP	15	18"
F15T8/SDI/BP-30W	30	18"
F17T8/SDI/BP	17	24"
F30T8/SDI/BP	30	36"
F32T8/SDI/BP	32	48"
F15T12/SDI/BP	15	18"
F15T12/SDI/VHO/BP-30W	30	18"
F20T12/SDI/BP	20	24"
F20T12/SDI/BP-40W	40	24"



F20T12/SDI/BP-65W	65	24"
F20T12/SDI/VHO/BP-75W	75	24"
F30T12/SDI/BP	30	36"
F30T12/SDI/VHO/BP-95W	95	36"
F48T12/SDI/VHO/BP-110W	110	48"
F40T12/SDI/BP	40	48"
F40T12/SDI/BP-65W	65	48"
F40T12/SDI/VHO/BP-110W	110	48"
F59T12/SDI/BP-140W	140	59"
F72T12/SDI/BP	55	72"
F72T12/SDI/BP-165W	165	72"
F96T12/SDI/BP	75	96"
F96T12/SDI/SL	75	96"
F96T12/SDI/VHO/BP-215W	215	96"

Bi-Pin Styles Reflector	Wattage	Nominal Length
FR15T8/SDI/BP	15	18"
FR30T8/SDI/BP	30	36"
FR32T8/SDI/BP	32	48"
FR15T12/SDI/BP	15	18"
FR15T12/SDI/VHO/BP-30W	30	18"
FR20T12/SDI/BP	20	24"
FR20T12/SDI/BP-40W	40	24"
FR20T12/SDI/BP-65W	65	24"
FR20T12/SDI/VHO/BP-75W	75	24"
FR30T12/SDI/BP	30	36"
FR30T12/SDI/VHO/BP-95W	95	36"
FR48T12/SDI/VHO/BP-110W	110	48"
FR40T12/SDI/BP	40	48"
FR40T12/SDI/BP-65W	65	48"
FR40T12/SDI/VHO/BP-110W	110	48"
FR59T12/SDI/BP-140W	140	59"
FR72T12/SDI/BP	55	72"
FR72T12/SDI/BP-165W	165	72"
FR96T12/SDI/BP	75	96"
FR96T12/SDI/VHO/BP-215W	215	96"